Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S10 4	1104	(@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and ((time or period or interval) with within with request\$5) same (set near5 (time or period or interval))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/20 21:34
S10 5	354	(@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and ((time or period or interval) with within with request\$5) same (set near5 (time or period or interval)) and ("370" or "455" or "709").clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/20 15:43
S10 6	2	(@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlad<="20031126") and ((time or period or interval) with within with configuration near2 request\$5) same (set near5 (time or period or interval)) and ("370" or "455" or "709").clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/20 15:44
S10 7	19	(@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and ((time or period or interval) with within with configuration near2 request\$5) and ("370" or "455" or "709").clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/20 15:59
S10 8	454	(@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and ((time or period or interval) with within with request\$5) same (set\$5 near6 (time or period or interval)) and ("370" or "455" or "709").clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/20 16:03

S10 9	22	(@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and (wait\$5 with (time or period or interval) with within with request\$5) same (set\$5 near6 (time or period or interval)) and ("370" or "455" or "709").clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ .	ON	2007/12/20 16:09
S11 0	2	(@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and ((time or period or interval) with within with configuration request\$5) same (set near5 (time or period or interval))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/20 21:35
S11 1	10	(@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and ((time or period or interval) with within with configuration with request\$5) same (set near5 (time or period or interval))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/20 21:36
S11 2	63	(@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and (wait\$5 with (time or period or interval) with within with request\$5) same (set near5 (time or period or interval))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/20 21:41
S11 3	2	(@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and (wait\$5 with (time or period or interval) with within with configuration near4 request\$5)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/20 21:38
S11 4	851	(@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and (advertis\$6 with request\$6) and ("455" or "370").clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/20 22:03

Page 2

S11 5	33	(@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and (advertis\$6 with request\$6 with (ap or access point\$2 or base station)) and ("455" or "370").clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/20 21:51
S11 6	22	(@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and (advertis\$6 with request\$6 with (ap or access point\$2 or base station)) and ("455" or "370").clas. and (request\$5 with (time or period or interval))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/20 21:56
S11 7	0	(@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and (wait with for request\$5 with (time or period or timeout or interval or second\$2 or ms)) and ("370" or "455" or "709").clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON .	2007/12/20 22:40
S11 8	0	(@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlad<="20031126") and (wait\$5 with for request\$5 with (time or period or timeout or interval or second\$2 or ms)) and ("370" or "455" or "709").clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/20 21:58
S11 9	0	(@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and (wait\$5 with for request\$5 with (time or period or timeout or interval or second\$2 or ms))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/20 21:58
S12 0	0	(@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and (wait\$5 with for request\$5) and ("370" or "455" or "709").clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/20 21:58

S12 1	451	(@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and (advertis\$6 with request\$6) and ("455" or "370").clas. and (request\$5 with (time or period or interval))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/20 22:03
S12 2	30	(@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and (advertis\$6 with request\$6) and ("455" or "370").clas. and (("not" or no) near5 request\$5 with (time or period or interval))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/20 22:10
S12 3	72	(@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and (advertis\$6 with request\$6) and ("455" or "370").clas. and (within with request\$5 with (time or period or interval))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/20 22:11
S12 4	54	(@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and (advertis\$6 with request\$6) and ("455" or "370").clas. and (request\$5 with within near4 (time or period or interval))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/20 22:29
S12 5	1	(@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and (configuration message\$2 with after adj2 (time or period or interval)) and ("455" or "370").clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/20 22:32
S12 6	2784	(@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and (predetermined time with set\$5) and ("370" or "455" or "709").clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/20 22:40

12/26/2007 9:11:43 AM C:\Documents and Settings\kcehic\Desktop\apps\after FOAM\10722993\search.wsp Page 4

S12 7	12	(@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and (predetermined time with set\$5 with manufactur\$5) and ("370" or "455" or "709").clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/20 22:47
S12 8	1	(@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and (configuration message with predetermined time) and ("370" or "455" or "709").clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/20 22:48
S12 9	1	(@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and (configuration message with predetermined (time or interval or period)) and ("370" or "455" or "709").clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/20 22:49
S13 0	23	(@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and (configuration message with after with (time or period)) and ("370" or "455" or "709").clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/20 22:49

Day: Wednesday

Date: 12/26/2007

PALM INTRANET

Time: 09:02:16

Inventor Name Search Result

Your Search was:

Last Name = HONG

First Name = JAY

Application#	Patent#	Status	Date Filed	Title	Inventor Name
09706240	7120133	150	11/03/2000	SYSTEM AND METHOD OF LINKING A WIRELESS SIGNALING PROTOCOL WITH A MEDIA GATEWAY CONTROL PROTOCOL IN A PACKET-BASED NETWORK	HONG, JAY WU
09724812	7006479	150	11/28/2000	SYSTEM AND METHOD OF A WIRELESS NETWORK OPERATION AND MAINTENANCE	HONG, JAY WU
10722993	Not Issued	71	11/26/2003	Method and apparatus for automatically configuring devices on a wireless network	HONG, JAY WU
11315847	Not Issued	30		System and method of a wireless network operation and maintenance	HONG, JAY WU
11515316	Not Issued	25	09/01/2006	Methods for ring tone supression informing and for informing a cellular telephone with configuration data	HONG, JAY WU

Inventor Search Completed: No Records to Display.

Sacrah Another	Last Name	First Nan	1e
Search Another	HONG	JAY	Search

To go back use Back button on your browser toolbar.

Back to PALM | ASSIGNMENT | OASIS | Home page